

Technical Data Sheet of TPE YH-806E

Product Name: Thermoplastic Elastomer (TPE)

Grade: TPE YH-806E

Structure: Radial

TPE YH-806E Technical Data:

Items	Index
Form	White Fluffy Particle
SM Content, %	45
Volatile Matter, wt %	≤1
Oil Content, %	33
Tensile Strength, Mpa	15
Hardness, Shore A	75
Melt Flow Rate (200°C ,5kg), g/10 min	9
Note	FDA177.1810, FDA177.2600,Regulation (EC) No 1935/2004

Application

Plastics Modification; Shoe Material

Package

15/20kg paper bag 510/660kg etc. super bag.

Storage

Proper Sealing: Keep bags or containers tightly sealed when not in use to prevent moisture absorption, dust contamination, or oxidation.

Environmental Temperature: Store in a cool, dry, and well-ventilated area, avoiding direct sunlight and heat sources.

Environmental Humidity: Maintain low ambient humidity in the surrounding air to effectively prevent moisture-induced degradation or caking.