Technical Date Sheet of Chloroprene Rubber 322

Chemical Name: Chloroprene Rubber 322

CAS NO.: 9010-98-4

Technical Data of CR322:

Items	Specifications		
	CR3221	CR3222	CR3223
Mooney Viscosity ML(1+4) 100℃	25-40	41-60	61-80
Mooney Scorch(MSts)	≥25		
Modulus at 500% (MPa)	2-5		
Tensile strength (MPa)	≥25		
Elongation at break, %	≥800		
Volatile matter, %	≤1.5		
Ash content, %	≤1.5		
Appearance	Light brown chips		

Application:

CR 322 Series Neoprene can be used in the manufacture of hoses, conveyor belts, cable sheaths, and other rubber products. This product is similar to DuPont's GW type rubber.

Package:

In 25 kg net weight bags.

Storage:

From the date of production, the storage period is one year at temperatures below 20°C and six months at temperatures below 30°C.

JiangSu ElephChem Holding Limited